

Referentie lijst Thema Focus bepalen en behouden

1. Metz, M. J., van Bueren, M. M., van Dijk, M., van Son, G. E., Bramsen, I., Boenink, A. D., & Beekman, A. T. F. (2023). Samen beslissen met ROM als informatiebron: Kwalitatief onderzoek onder cliënten. *Tijdschrift voor Psychiatrie*, 65(5), 301-307.
2. Hoogduin, C.A.L., Methorst, G.J., & Verdellen, C.W.J. (1997). Het zelfcontrolemodel als behandelparadigma voor kortdurende ambulante behandeling. In: G.J. Methorst, C.A.L.
3. Pieters-Korteweg, E., Rijnders, P., & de Jong, T. (1999). *Kortdurend behandelen in de GGZ: Een inleiding*. Bohn Stafleu van Loghum
4. Hutschemaekers, G., Nekkers, M., & Tiemens, B. (2019). Handboek generalistische ggz. In *Bohn Stafleu van Loghum eBooks*. <https://doi.org/10.1007/978-90-368-2364-7>
5. Van Der Heiden, C., & Korrelboom, K. (2024). *Doelgestuurd behandelen in de cognitieve gedragstherapie: Een praktische handleiding*. Bohn Stafleu Van Loghum.
6. Willutzki, U., & Koban, C. (2004). Enhancing motivation for psychotherapy: the elaboration of positive perspectives (EPOS) to develop clients' goal structure. In W.M. Cox & E. Klinger (eds.), *Handbook of motivational counseling: concepts, approaches and assessment* (pp. 337- 356). New York. John Wiley & Sons Ltd
7. VonKorff, M., Gruman, J., Schaefer, J., Curry, S.J. & Wagner, E. (1997). Collaborative management of chronic illness. *Annals of Internal Medicine*, 127, 1097-1102
8. Joosten, E., de Weert, G., Sensky, T., van der Staak, C. & de Jong C. (2008). Effect of shared decision-making on therapeutic alliance in addiction health care. *Patient Prefer Adherence*, 2, 277-85. doi: 10.2147/ppa.s4149.
9. Audenhove, C. van (1995). Indicatiestelling in de psychotherapie. *Tijdschrift voor psychotherapie*, 21, 182-193.
10. Audenhove, C. van, & Vertommen, H. (2000). A negotiation approach to intake and treatment choice. *Journal of Psychotherapy Integration*, 10, 287-29
11. Michalak, J., Klappheck, M. A., & Kosfelder, J. (2004). Personal goals of psychotherapy patients: The intensity and the "why" of goal-motivated behavior and their implications for the therapeutic process. *Psychotherapy Research*, 14(2), 193-209. <https://doi.org/10.1093/ptr/kph017>
12. Orlinsky, D. E., Rønnestad, M. H., & Willutzki, U. (2002). Fifty years of psychotherapy Process-Outcome Research: Continuity and Change. In M.J. Lambert, *Psychotherapy and behaviour change. Bergin and Garfield's handbook*, 5th edition (pp. 307-389). New York: John Wiley & Sons, Inc.
13. Long, J.R.. (2001). Goal agreement and early therapeutic change. *Psychotherapy*, 38, 219-232.
14. Bordin, E. S. (1979). The generalizability of the psychoanalytic concept of working alliance. *Psychotherapy: Theory, Research & Practice*, 16(3), 252-260. <https://doi.org/10.1037/h0085885>

15. Tryon, G. S., & Winograd, G. (2011). Goal consensus and collaboration. *Psychotherapy*, 48(1), 50–57. <https://doi.org/10.1037/a0022061>
16. Flückiger, C., Del Re, A. C., Wampold, B. E., & Horvath, A. O. (2018). The alliance in adult psychotherapy: A meta-analytic synthesis. *Psychotherapy*, 55(4), 316–340. <https://doi.org/10.1037/pst0000172>
17. Locke, E. A., & Latham, G. P. (2002). Building a practically useful theory of goal setting and task motivation: A 35-year odyssey. *American Psychologist*, 57(9), 705–717. <https://doi.org/10.1037//0003-066X.57.9.705>
18. Waller, G. (2009). Evidence-based treatment and therapist drift. *Behaviour Research and Therapy*, 47, 119–127. <https://doi.org/10.1016/j.brat.2008.10.018>
19. Waller, G., & Turner, H. (2016). Therapist drift redux: Why well-meaning clinicians fail to deliver evidence-based therapy, and how to get back on track. *Behaviour Research and Therapy*, 77, 129–137. <https://doi.org/10.1016/j.brat.2015.12.005>
20. Grosse Holtforth, M., & Grawe, K. (2002). Bern inventory of treatment goals: Part 1. Development and first application of treatment goal themes. *Psychotherapy Research*, 21(1), 79–99. <https://doi.org/10.1080/713869618>
21. Perkins, R. (2001). What constitutes success? The relative priority of service users' and clinicians' views of mental health services. *British Journal of Psychiatry*, 197, 9–10.
22. Tiemens, B., Reijds, M., Van Sonsbeek, M., & Hutschemaekers, G. (2010). Het doel heiligt het middel. Een hulpmiddel bij het stellen van evalueerbare behandeldoelen [The goal justifies the means. A tool for setting assessable treatment goals]. *Maandblad voor Geestelijke Volksgezondheid*, 65, 785–797.
23. Donker, M.C.H. (1990). *Principes en praktijk van programma-evaluatie*. Utrecht: NcGv.
24. Hellenbrand, T., Tiemens, B., & Appel, A. (2007). Clarity of treatment goals in psychotherapy: A Hellenbrand, I., Tiemens, B., & Appel, T. (2007). Lange behandelingen ontberen scherpe behandeldoelen: Een exploratief onderzoek naar mogelijkheden voor verkorting van de wachtlijst [Long treatments lack precise treatment goals: An explorative study to the possibilities to shorten the waiting lists]. *Psychopraxis*, 9, 84–87. <https://doi.org/10.1007/BF03072346>
25. Hoogduin, C.A.L., Verbraak, M.P.J.M., & Haan, E. de (1997). Het outtake-team: strategieën ter voorkoming van langdurige behandelingen. In G.J. Methorst e.a., *Richtlijnen bij kortdurende ambulante behandeling in de geestelijke gezondheidszorg* (pp. 75-82). Houten: Bohn Stafleu Van Loghum
26. Hart, R. R. (1978). Therapeutic effectiveness of setting and monitoring goals. *Journal of Consulting and Clinical Psychology*, 46(6), 1242–1245. <https://doi.org/10.1037/0022-006X.46.6.1242>
27. Michalak, J., & Grosse Holtforth, M. (2006). Where do we go from here? The goal perspective in psychotherapy. *Clinical Psychology: Science and Practice*, 13(4), 346–365. <https://doi.org/10.1111/j.1468-2850.2006.00048.x>
28. Geurtzen, N., Keijsers, G. P. J., Karremans, J. C., Tiemens, B. G., & Hutschemaekers, G. J. M. (2020). Patients' perceived lack of goal clarity in psychological treatments: Scale development and negative correlates. *Clinical Psychology & Psychotherapy*, 27, 915–924. <https://doi.org/10.1002/cpp.2479>

29. Arts, W. & Reinders, M. (2012). Het afsluiten van eindeloze behandelingen, *Gedragstherapie*, 45, 405-416.
30. Deane, F., & Kavanagh, D. J. (2010). Adapting low intensity CBT interventions for clients with severe mental illness. *Oxford guide to low intensity CBT interventions*, 357.
31. Van, R. (2023). Zijn SMART doelen wel zo 'smart'? *Tijdschrift voor psychiatrie*, 65(1), 6-7.
32. Lambert, M. J. (2010). *Prevention of treatment failure: The use of measuring, monitoring, and feedback in clinical practice*. American Psychological Association.
33. Tiemens, B., Peperkamp-Meuleman, I., Witteman, C. (2020). Geen maatwerk zonder meetwerk: ROM als correctiemechanisme voor klinische beoordelingsfouten. *Tijdschrift voor Psychotherapie*, 46, 334-47.
34. de Jong, K., Conijn, J. M., Gallagher, R. A. V., Reshetnikova, A. S., Heij, M., & Lutz, M. C. (2021). Using progress feedback to improve outcomes and reduce drop-out, treatment duration, and deterioration: A multilevel meta-analysis. *Clin Psychol Rev*, 85, 102002. <https://doi.org/10.1016/j.cpr.2021.102002>
35. Janse, P. D., De Jong, K., Van Dijk, M. K., Hutschemaekers, G. J. M., & Verbraak, M. (2017). Improving the efficiency of cognitive-behavioural therapy by using formal client feedback. *Psychother Res*, 27(5), 525-538. <https://doi.org/10.1080/10503307.2016.1152408>
36. Lambert, M.J., Harmon, C., Slade, K., Whipple, J.L. & Hawkins, E.J. (2005). Providing feedback to psychotherapists on their patients' progress: Clinical results and practice suggestions. *Journal of Clinical Psychology*, 61, 165-174. doi:10.1002/jclp.20113
37. Shimokawa, K., Lambert, M.J. & Smart, D.W. (2010). Enhancing treatment outcome of patients at risk of treatment failure: Meta-analytic and mega-analytic review of a psychotherapy quality assurance system. *Journal of Consulting & Clinical Psychology*, 78, 298-311.
38. Walfish, S., McAlister, B., O'donnell, P., & Lambert, M. J. (2012). An investigation of self-assessment bias in mental health providers. *Psychological Reports*, 110(2), 639-644.
39. Kokotovic, A.M. & Tracey, T.J. (1990). Working alliance in the early phase of counselling. *Journal of Counseling Psychology*, 37, 16-21
40. Metz, M., et al. (2019). Samen beslissen in de ggz: Onderzoek naar toegevoegde waarde voor patiënten en behandelaars. *Tijdschrift voor Psychiatrie*, 61(7), 487-497.
41. Malm, U., Ivarsson, B., Allebeck, P., & Falloon, I. R. H. (2003). Integrated care in schizophrenia: A 2-year randomised controlled study of two community-based treatment programs. *Acta Psychiatrica Scandinavica*, 107, 415-423.
42. Clever, S. L., Ford, D. E., Rubenstein, L. V., Rost, K. M., Meredith, L. S., Sherbourne, C. D., et al. (2006). Primary care patients' involvement in decision-making is associated with improvement in depression. *Medical Care*, 44, 398-405.
43. Joosten, E. A. G., de Jong, C. A. J., de Weert-Van Oene, G. H., Sensky, T., & van der Staak, C. P. F. (2009). Shared decision-making reduces drug use and psychiatric severity in substance-dependent patients. *Psychotherapy and Psychosomatics*, 78, 245-253.

44. Westermann, G. M. A., Verheij, F., Winkens, B., Verhulst, F. C., & van Oort, F. V. A. (2013). Structured shared decision-making using dialogue and visualization: A randomised controlled trial. *Patient Education and Counseling*, 90, 74–81.
45. Stacey, D., Légaré, F., Lewis, K., Barry, M. J., Bennett, C. L., Eden, K. B., et al. (2017). Decision aids for people facing health treatment or screening decisions (Review). *Cochrane Database of Systematic Reviews*, 4, CD001431.
46. Akwa GGZ. (2021, 21 oktober). *Samen beslissen: uitkomsten Online Panel*. Akwa GGZ. https://akwaggz.nl/wp-content/uploads/2021/10/AkwaGGZ_Rapport_SamenBeslissen.pdf
47. Drost, V., Gutteridge, E., In 't Veld, P., & Westhoff, E. (2023, 13 april). *Samen beslissen in de ggz: Zichtbaar leren en verbeteren*. Zorginstituut Nederland. <https://www.zorginstituutnederland.nl/site/binaries/site-content/collections/documents/2023/04/13/onderzoeksrapport-samen-beslissen-in-de-ggz/Samen+beslissen+in+de+ggz+-+zichtbaar+leren+en+verbeteren.pdf>
48. Cooper, M. (2018). The Psychology of Goals: A Practice-Friendly Review. In M. Cooper & D. Law (Eds.), *Working with Goals in Psychotherapy and Counselling* (pp. 35–71). Oxford University Press.
49. Elliot, A. J., & Church, M. A. (2002). Client-articulated avoidance goals in the therapy context. *Journal of Counseling Psychology*, 49(2), 243–254. <https://doi.org/10.1037/0022-0167.49.2.243>
50. Snyder, C. R. (2002). Hope Theory: Rainbows in the Mind. *Psychological Inquiry*, 13(4), 249–275.
51. Locke, E. A., & Latham, G. P. (2002). Building a practically useful theory of goal setting and task motivation: A 35-year odyssey. *American Psychologist*, 57(9), 705–717. <https://doi.org/10.1037/0003-066X.57.9.705>
52. Michalak, J., & Holtforth, M. G. (2006). Where do we go from here? The goal perspective in psychotherapy. In *Clinical Psychology: Science and Practice* (Vol. 13, Issue 4, pp. 346–365). <https://doi.org/10.1111/j.1468-2850.2006.00048.x>
53. Wollburg, E., & Braukhaus, C. (2010). Goal setting in psychotherapy: The relevance of approach and avoidance goals for treatment outcome. *Psychotherapy Research*, 20(4), 488–494.