

Referentielijst Thema Innovatief en Efficiënt behandelen

1. Graham, S., Depp, C., Lee, E. E., Nebeker, C., Tu, X., Kim, H., & Jeste, D. V. (2019). Artificial Intelligence for Mental Health and Mental Illnesses: an Overview. *Current Psychiatry Reports*, 21(11). <https://doi.org/10.1007/s11920-019-1094-0>
2. Eshghie, M., & Eshghie, M. (2023). ChatGPT as a Therapist Assistant: A Suitability Study. *arXiv (Cornell University)*. <https://doi.org/10.48550/arxiv.2304.09873>
3. Raile, P. The usefulness of ChatGPT for psychotherapists and patients. *Humanit Soc Sci Commun* 11, 47 (2024). <https://doi.org/10.1057/s41599-023-02567-0>
4. Thieme, A., Belgrave, D., & Doherty, G. (2020). Machine learning in mental health: A systematic review of the HCI literature to support the development of effective and implementable ML systems. *ACM Transactions on Computer-Human Interaction (TOCHI)*, 27(5), 1–53.
5. Ribeiro, J. D., Huang, X., Fox, K. R., & Franklin, J. C. (2018). Depression and hopelessness as risk factors for suicide ideation, attempts, and death: Meta-analysis of longitudinal studies. *The British Journal of Psychiatry*, 212(5), 279–286. <https://doi.org/10.1192/BJP.2018.27>
6. Guo, W., Yang, H., Liu, Z., Xu, Y., & Hu, B. (2021). Deep neural networks for depression recognition based on 2D and 3D facial expressions under emotional stimulus tasks. *Frontiers in Neuroscience*, 15, 609760. <https://doi.org/10.3389/FNINS.2021.609760>
7. Corcoran, C. M., et al. (2018). Prediction of psychosis across protocols and risk cohorts using automated language analysis. *World Psychiatry*, 17(1), 67–75. <https://doi.org/10.1002/WPS.20491>
8. Martinez-Martin, N. (2022). Minding the AI: Ethical challenges and practice for AI mental health care tools. In *Artificial Intelligence in Brain and Mental Health: Philosophical, Ethical & Policy Issues* (pp. 111–125). Springer.
9. Emmelkamp, P. M., & Meyerbröker, K. (2021). Virtual Reality therapy in mental health. *Annual Review Of Clinical Psychology*, 17(1), 495–519. <https://doi.org/10.1146/annurev-clinpsy-081219-115923>
10. Emmelkamp, P. M. G., Meyerbröker, K., & Morina, N. (2020). Virtual reality therapy in social anxiety disorder. *Current Psychiatry Reports*, 22(7). <https://doi.org/10.1007/s11920-020-01156-1>
11. Schröder, D., Wrona, K. J., Müller, F., Heinemann, S., Fischer, F., & Dockweiler, C. (2023). Impact of virtual reality applications in the treatment of anxiety disorders: A systematic review and meta-analysis of randomized-controlled trials. *Journal Of Behavior Therapy And Experimental Psychiatry*, 81, 101893. <https://doi.org/10.1016/j.jbtep.2023.101893>
12. Tan, Y. L., Chang, V. Y. X., Ang, W. H. D., Ang, W. W., & Lau, Y. (2024). Virtual reality exposure therapy for social anxiety disorders: a meta-analysis and meta-regression of randomized controlled trials. *Anxiety Stress & Coping*, 1–20. <https://doi.org/10.1080/10615806.2024.2392195>
13. Van Loenen, I., Scholten, W., Muntingh, A., Smit, J., & Batelaan, N. (2022). The Effectiveness of Virtual Reality Exposure–Based Cognitive Behavioral Therapy for Severe Anxiety Disorders, Obsessive–Compulsive Disorder, and Posttraumatic Stress Disorder: Meta-analysis. *Journal Of Medical Internet Research*, 24(2), e26736. <https://doi.org/10.2196/26736>

14. Wu, J., Sun, Y., Zhang, G., Zhou, Z., & Ren, Z. (2021). Virtual Reality-Assisted Cognitive Behavioral Therapy for Anxiety Disorders: A Systematic Review and Meta-Analysis. *Frontiers in Psychiatry*, 12. <https://doi.org/10.3389/fpsyt.2021.575094>
15. Kampmann, I. L., Emmelkamp, P. M., Hartanto, D., Brinkman, W., Zijlstra, B. J., & Morina, N. (2015). Exposure to virtual social interactions in the treatment of social anxiety disorder: A randomized controlled trial. *Behaviour Research And Therapy*, 77, 147–156. <https://doi.org/10.1016/j.brat.2015.12.016>
16. Pot-Kolder, R. M., Geraets, C. N., Veling, W., van Beilen, M., Staring, A. B., Gijsman, H. J., ... & van der Gaag, M. (2018). Virtual-reality-based cognitive behavioural therapy versus waiting list control for paranoid ideation and social avoidance in patients with psychotic disorders: a single-blind randomised controlled trial. *The Lancet Psychiatry*, 5(3), 217–226. [https://www.thelancet.com/journals/lanpsy/article/PIIS2215-0366\(18\)30053-1/abstract?TB_iframe=true&width=921.6&height=921.6](https://www.thelancet.com/journals/lanpsy/article/PIIS2215-0366(18)30053-1/abstract?TB_iframe=true&width=921.6&height=921.6)
17. Schimmel & Krans (2024): https://www.tijdschriftgedragstherapie.nl/inhoud/tijdschrift_artikel/TG-2024-2-4/Virtual-reality-voorafgaand-aan-exposure-bij-patienten-met-een-paniekstoornis-en-of-sociale-angststoornis
18. Lundin, R. M., Yeap, Y., & Menkes, D. B. (2023). Adverse effects of virtual and augmented reality interventions in psychiatry: systematic review. *JMIR Mental Health*, 10, e43240. <https://mental.jmir.org/2023/1/e43240>
19. Reeder, B., & David, A. (2016). Health at hand: A systematic review of smart watch uses for health and wellness. *Journal of Biomedical Informatics*, 63, 269–276.
20. Sadeghi, M., McDonald, A. D., & Sasangohar, F. (2022). Posttraumatic stress disorder hyperarousal event detection using smartwatch physiological and activity data. *PLoS ONE*, 17(5), e0267749. <https://doi.org/10.1371/journal.pone.0267749>
21. Zhao, W., & Go, K. (2024). Harnessing smartphones and smartwatches for predictive insights: A review of data collection and machine learning methods in depression, anxiety, and emotional states and changes. *SSRN*. <https://ssrn.com/abstract=4744868> or <http://dx.doi.org/10.2139/ssrn.4744868>
22. Huaroto, L., Wong, L., & Alvarado, V. (2022). Mobile application: For anxiety and cardiovascular depression monitoring using a smartwatch based on cognitive behavioral therapy. In *2022 32nd Conference of Open Innovations Association (FRUCT)* (pp. 112–120). Tampere, Finland. <https://doi.org/10.23919/FRUCT56874.2022.9953848>
23. Kumar, P., Chauhan, R., Stephan, T., Shankar, A., & Thakur, S. (2021). A machine learning implementation for mental health care: Application of smartwatch for depression detection. In *2021 11th International Conference on Cloud Computing, Data Science & Engineering (Confluence)* (pp. 568–574). Noida, India. <https://doi.org/10.1109/Confluence51648.2021.9377199>
24. Johnston, D., Foord, R., Casties, A., Viaphay, N., Tohamy, A., Van Leeuwen, N., Sinclair, J., Talbot, D., & Harris, A. (2024). Integrating smartwatches in community mental health services for severe mental illness for detecting relapse and informing future intervention: A case series. *Early Intervention in Psychiatry*, 18(6), 471–477. <https://doi.org/10.1111/eip.13529>

25. Hunkin, H., King, D. L., & Zajac, I. T. (2020). Perceived acceptability of wearable devices for the treatment of mental health problems. *Journal of Clinical Psychology*, **76**(6), 987–1003.
26. Nadal, C., Earley, C., Enrique, A., Sas, C., Richards, D., & Doherty, G. (2023). Patient Acceptance of Self-Monitoring on a Smartwatch in a Routine Digital Therapy: A Mixed-Methods Study. *ACM Transactions On Computer-Human Interaction*, **31**(1), 1–50.
<https://doi.org/10.1145/3617361>
27. Hickey, B. A., Chalmers, T., Newton, P., Lin, C., Sibbritt, D., McLachlan, C. S., Clifton-Bligh, R., Morley, J., & Lal, S. (2021). Smart Devices and Wearable Technologies to Detect and Monitor Mental Health Conditions and Stress: A Systematic Review. *Sensors*, **21**(10), 3461.
<https://doi.org/10.3390/s21103461>
28. Etzelmuller, A., Vis, C., Karyotaki, E., Baumeister, H., Titov, N., Berking, M., Cuijpers, P., Riper, H., & Ebert, D. D. (2020). Effects of Internet-Based Cognitive Behavioral Therapy in Routine Care for Adults in Treatment for Depression and Anxiety: Systematic Review and Meta-Analysis. *Journal Of Medical Internet Research*, **22**(8), e18100. <https://doi.org/10.2196/18100>
29. Hedman-Lagerlöf, E., Carlbring, P., Svärdman, F., Riper, H., Cuijpers, P., & Andersson, G. (2023). Therapist-supported Internet-based cognitive behaviour therapy yields similar effects as face-to-face therapy for psychiatric and somatic disorders: an updated systematic review and meta-analysis. *World Psychiatry*, **22**(2), 305–314. <https://doi.org/10.1002/wps.21088>
30. Van Daele, T., & Van Assche, E. (2019). Blended therapie: een basis voor betere zorg? *GZ - Psychologie*, **11**(1), 24–29. <https://doi.org/10.1007/s41480-019-0002-x>
31. Rosendahl, J., Alldredge, C.T., Burlingame, G.M. & Strauss, B. (2021). Recent developments in group psychotherapy research. *American Journal of Psychotherapy*, **74**(2), p. 52-59.
32. Yalom, I.D. & Leszcz, M. (2020). *The theory and practice of group psychotherapy* (6th ed.). New York: Basic Books.
33. Barkowski, S., Schwartz, D., Strauss, B., Burlingame, G.M. & Rosendahl, J. (2020). Efficacy of group psychotherapy for anxiety disorders: A systematic review and meta-analysis. *Psychotherapy Research*, **30**(8), p. 965-982.
34. Janis, R.A., Burlingame, G.M., Svien, H., Jensen, J. & Lundgreen, R. (2021). Group therapy for mood disorders: A meta-analysis. *Psychotherapy Research*, **31**(3), p. 342-358.
35. Schwartz, D., Barkowski, S., Strauss, B., Burlingame, G.M., Barth, J. & Rosendahl, J. (2017). Efficacy of group psychotherapy for panic disorder: Meta-analysis of randomized, controlled trials. *Group Dynamics: Theory, Research, and Practice*, **21**(2), p. 77-93.
36. Schwartz, D., Barkowski, S., Strauss, B., Knaevelsrud, C. & Rosendahl, J. (2019). Efficacy of group psychotherapy for posttraumatic stress disorder: Systematic review and meta-analysis of randomized controlled trials. *Psychotherapy Research*, **29**(4), p. 415-431.
37. Schwartz, D., Barkowski, S., Burlingame, G. M., Strauss, B. & Rosendahl, J. (2016). Efficacy of group psychotherapy for obsessive-compulsive disorder: A meta-analysis of randomized controlled trials. *Journal of Obsessive-Compulsive and Related Disorders*, **10**, p. 49-61.
38. Whittingham, M., Marmarosh, C.L., Mallow, P. & Scherer, M. (2023). Mental health care equity and access: A group therapy solution. *The American Psychologist*, **78**(2), p. 119-133.
39. Koementas-de Vos, M., & Daemen, M. (2024). *Groepstherapie in de ggz: een van de beoogde oplossingen voor wachtlijstproblematiek, maar hoe? Groepen. Tijdschrift voor groepsdynamica & groepspsychotherapie*, **19**(4), 49–63.

40. Cuijpers, P., Van Straten, A., Andersson, G., & Van Oppen, P. (2008). Psychotherapy for depression in adults: A meta-analysis of comparative outcome studies. *Journal of Consulting and Clinical Psychology, 76*(6), 909–922. <https://doi.org/10.1037/a0013075>
41. Donker, T., Bennett, K., Bennett, A., Mackinnon, A., Van Straten, A., Cuijpers, P., Christensen, H., & Griffiths, K. M. (2013). Internet-Delivered interpersonal Psychotherapy versus Internet-Delivered Cognitive Behavioral therapy for adults with depressive symptoms: Randomized Controlled noninferiority trial. *Journal of Medical Internet Research, 15*(5), e82. <https://doi.org/10.2196/jmir.2307>
42. Ebert, D. D., Gollwitzer, M., Riper, H., Cuijpers, P., Baumeister, H., & Berking, M. (2013). For whom does it work? Moderators of Outcome on the Effect of a Transdiagnostic Internet-Based Maintenance Treatment after Inpatient Psychotherapy: Randomized Controlled trial. *Journal of Medical Internet Research, 15*(10), e191. <https://doi.org/10.2196/jmir.2511>
43. Erbe, D., Eichert, H., Riper, H., & Ebert, D. D. (2017). Blending Face-to-Face and Internet-Based Interventions for the Treatment of Mental Disorders in Adults: Systematic Review. *Journal of Medical Internet Research, 19*(9), e306. <https://doi.org/10.2196/jmir.6588>
44. Fenski, F., Behr, S., Schaeuffele, C., Boettcher, J., & Knaevelsrud, C. (2023). Blended Care: Stand der Forschung und Implementierungsmöglichkeiten. *Der Nervenarzt, 95*(3), 216–222. <https://doi.org/10.1007/s00115-023-01579-0>
45. Geraedts, A. S., Kleiboer, A. M., Twisk, J., Wiezer, N. M., Van Mechelen, W., & Cuijpers, P. (2014). Long-Term results of a Web-Based Guided Self-Help intervention for employees with depressive symptoms: randomized controlled trial. *Journal of Medical Internet Research, 16*(7), e168. <https://doi.org/10.2196/jmir.3539>
46. Karyotaki, E., Efthimiou, O., Miguel, C., BERPohl, F. M. G., Furukawa, T. A., Cuijpers, P., Riper, H., Patel, V., Mira, A., Gemmil, A. W., Yeung, A. S., Lange, A., Williams, A. D., Mackinnon, A., Geraedts, A., Van Straten, A., Meyer, B., Björkelund, C., Knaevelsrud, C., . . . Forsell, Y. (2021). Internet-Based Cognitive Behavioral Therapy for Depression. *JAMA Psychiatry, 78*(4), 361. <https://doi.org/10.1001/jamapsychiatry.2020.4364>
47. Kok, R. N., Van Straten, A., Beekman, A. T. F., & Cuijpers, P. (2014). Short-Term effectiveness of Web-Based Guided Self-Help for phobic outpatients: randomized controlled trial. *Journal of Medical Internet Research, 16*(9), e226. <https://doi.org/10.2196/jmir.3429>
48. Lange, A., Van De Ven, J., Schrieken, B., & Smit, M. (2003). Interapy Burn-out: preventie en behandeling van burn-out via het internet. *Directieve Therapie, 23*(2), 60–73. <https://doi.org/10.1007/bf03060307>
49. Lee, J. L., Chen, S., Wickham, R. E., Wang, P., Wu, M. S., Varra, A. A., Chen, C. E., & Lungu, A. (2024). Clinical outcomes from blended care therapy for anxiety and depression in the year after treatment. *Internet Interventions, 39*, 100798. <https://doi.org/10.1016/j.invent.2024.100798>
50. Van Ballegooijen, W., Riper, H., Klein, B., Ebert, D. D., Kramer, J., Meulenbeek, P., & Cuijpers, P. (2013). An Internet-Based Guided Self-Help Intervention for Panic Symptoms: Randomized Controlled trial. *Journal of Medical Internet Research, 15*(7), e154. <https://doi.org/10.2196/jmir.2362>
51. Van De Ven, J., Lange, A., Schrieken, B., & Emmelkamp, P. (2000). Interapy: de resultaten van een gecontroleerde studie naar de behandeling van posttraumatische stress via internet. *Directieve Therapie, 20*(4), 161–169. <https://doi.org/10.1007/bf03060244>

52. Van Der Vaart, R., Witting, M., Riper, H., Kooistra, L., Bohlmeijer, E. T., & Van Gemert-Pijnen, L. J. (2014). Blending online therapy into regular face-to-face therapy for depression: content, ratio and preconditions according to patients and therapists using a Delphi study. *BMC Psychiatry*, 14(1), 355. <https://doi.org/10.1186/s12888-014-0355-z>
53. Van Der Zanden, R., Kramer, J., Gerrits, R., & Cuijpers, P. (2012). Effectiveness of an online group course for depression in adolescents and young adults: a randomized trial. *Journal of Medical Internet Research*, 14(3), e86. <https://doi.org/10.2196/jmir.2033>
54. Kleiboer, A., Smit, J., Bosmans, J., Ruwaard, J., Andersson, G., Topooco, N., Berger, T., Krieger, T., Botella, C., Baños, R., Chevreul, K., Araya, R., Cerga-Pashoja, A., Cieślak, R., Rogala, A., Vis, C., Draisma, S., Van Schaik, A., Kemmeren, L., . . . Riper, H. (2016). European COMPARative Effectiveness research on blended Depression treatment versus treatment-as-usual (E-COMPARED): study protocol for a randomized controlled, non-inferiority trial in eight European countries. *Trials*, 17(1), 387. <https://doi.org/10.1186/s13063-016-1511-1>
55. Ebert et al. (2020, Digital Health Europe Report)
56. Borghouts et al. (2021, GGZ inGeest)
57. Kelders et al. (2019, Internet Interventions)
58. Kaldø et al. (2013, BRT)